# Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act, 1992

For use by Principal Autho	rity						
Application number:			Permit r	Permit number (if different):			
Date received:			Roll nur	mber:			
	Name of municipalit	ty, upper-tier m	unicipality, bo	ard of health or con	nservatior	n authority)	
A. Project information							
Building number, street name						Unit number	Lot/con.
Municipality		Postal code	•		other description		
Project value est. \$	Area of work (m <sup>2</sup> )			า^์)			
B. Purpose of application							
New construction	Addition to an existing building Altera			n/repair	[	Demolition	Conditional Permit
Proposed use of building		Cu	ırrent use of	building			
Description of proposed work							
C. Applicant	Applicant is:	Owner o	or Au	uthorized agent of			
Last name		First name	First name Corporation or partnership				
Street address						Unit number	Lot/con.
Municipality		Postal code		Province		E-mail	
Telephone number		Fax				Cell number	
D. Owner (if different from	n applicant)						
Last name	,,	First name		Corporation or p	partners	hip	
Street address		1				Unit number	Lot/con.
Municipality		Postal code		Province E-mail		•	
Telephone number		Fax				Cell number	

E. Builder (optional)									
Last name									
Street address			Unit number	Lot/con.					
Municipality	Postal code	Province	E-mail						
Wallopality	l dotal oddo	1 TOVIIIOO	L man						
Telephone number	Fax Cell number								
F. Tarion Warranty Corporation (Ontario New Home Warranty Program)									
<ul> <li>i. Is proposed construction for a new hor Plan Act? If no, go to section G.</li> </ul>	Yes	s No							
ii. Is registration required under the Ontar	Yes	s No							
iii. If yes to (ii) provide registration number	(s):								
G. Required Schedules		9 99 8 1 1 2 21 52							
i) Attach Schedule 1 for each individual who rev	•								
ii) Attach Schedule 2 where application is to con	struct on-site, install o	or repair a sewage system.							
H. Completeness and compliance with a	pplicable law								
i) This application meets all the requirements o			Yes	s No					
Building Code (the application is made in the correct form and by the owner or authorized agent, all applicable fields have been completed on the application and required schedules, and all required									
schedules are submitted).		•							
Payment has been made of all fees that are r regulation made under clause 7(1)(c) of the E	Yes	s No							
application is made.									
ii) This application is accompanied by the plans resolution or regulation made under clause 7	-law, Ye	s No							
iii) This application is accompanied by the inform		s No							
law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act</i> , 1992 which enable the chief building official to determine whether the proposed building, construction or demolition will									
contravene any applicable law.									
iv) The proposed building, construction or demolition will not contravene any applicable law.  Yes  N									
I. Declaration of applicant			_						
(print name)			de	clare that:					
(1									
1. The information contained in this applic		dules, attached plans and spe	cifications, and oth	er attached					
documentation is true to the best of my knowledge.  2. If the owner is a corporation or partnership, I have the authority to bind the corporation or partnership.									
2. If the owner is a corporation of partitioning, I have the authority to bind the corporation of partitioning.									
Date	Signotur	e of applicant		_					
Date	Signature	ε οι αμμιτατιί							

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

# **Schedule 1: Designer Information**

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project. A. Project Information Building number, street name Unit no. Lot/con. Municipality Postal code Plan number/ other description B. Individual who reviews and takes responsibility for design activities Name Street address Unit no. Lot/con. Municipality Postal code Province E-mail Telephone number Fax number Cell number C. Design activities undertaken by individual identified in Section B. [Building Code Table 3.5.2.1. of **Division C1** HVAC - House **Building Structural** House Small Buildings **Building Services** Plumbing - House Large Buildings Detection, Lighting and Power Plumbing - All Buildings Complex Buildings On-site Sewage Systems Fire Protection Description of designer's work **Declaration of Designer** declare that (choose one as appropriate): (print name) I review and take responsibility for the design work on behalf of a firm registered under subsection 3.2.4.of Division C, of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories. Individual BCIN: Firm BCIN: I review and take responsibility for the design and am qualified in the appropriate category as an "other designer" under subsection 3.2.5.of Division C, of the Building Code. Individual BCIN: Basis for exemption from registration: The design work is exempt from the registration and qualification requirements of the Building Code. Basis for exemption from registration and qualification: I certify that: 1. The information contained in this schedule is true to the best of my knowledge. 2. I have submitted this application with the knowledge and consent of the firm.

#### NOTE:

Date

- 1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) (c).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- 2. Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Signature of Designer

# Energy Efficiency Design Summary: Prescriptive Method (Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

			For use by P					
Application No:				Model/0	Certification Number			
A. Project Informatio	n							
Building number, street name						Unit number	Lot/C	on
Municipality		Postal (	code	T Rea. Pl	an number / other descrip	ition		
B. Prescriptive Co	mpliance	[indicate the	building code co	mpliance	package being empl	oyed in this house	design]	
SB-12 Prescriptive (inp	ut design pa	nckage): F	Package:		Tabl	e:		
C. Project Design Co								
Climatic Zone (SB-1):		Heating Ed	quipment Effic	ciency	Space Heating	Fuel Source		
□ Zone 1 (< 5000 degree day		□ ≥ 92% AF	FUE 92% AFUE		□ Gas □ Propane			lid Fuel
	(				□ Oil □ Electric □ Earth Energ			rth Energy
Ratio of Windows, Skylights	s & Glass (V	w, S & G) to	o Wall Area		Other Building			☐ ICF Basement
Area of walls =m <sup>2</sup> or	ft <sup>2</sup>				□ Log/Post&Beam □ ICF Above Grade □ ICF Basemer □ Slab-on-ground □ Walkout Basement			
		W, S & G % =			☐ Air Conditioning ☐ Combo Unit			
2	ູບ	Itilize window	v averaging: □\	∕es □No	□ Air Sourced H		•	
Area of W, S & G =m^2 <b>o</b>	rft²				□ Ground Source	ed Heat Pump (	GSHP)	
D. Building Specifica	tions [provi	ide values ar	nd ratings of the	energy eff	ficiency components	proposed]		
Energy Efficiency Subs	titutions							
□ ICF (3.1.1.2.(5) & (6) / 3.1.	1.3.(5) & (6)	))						
☐ Combined space heating a			iting systems (	3.1.1.2.(	7) / 3.1.1.3.(7))			
□ Airtightness substitution(s)				` `	, , , , ,			
- 7 m tight 1000 outout attorn(0)	□ Table 3.1	.1.4.B Re	guired:		Permi	tted Substitution	:	
Airtightness test required		Permitted Substitution:       Permitted Substitution:       Permitted Substitution:						
(Refer to Design Guide Attached)	□ Table 3.1							
Building Compone	nt N	Red <b>Minimum R</b>	quired: SI / R values		Permitted Substitution: Building Component Efficiency			ency Ratings
		or Maximu	m U-Value <sup>(1)</sup>					moy namigo
Thermal Insulation		Nominal	Effective		ws & Doors Pro		R rating	
Ceiling with Attic Space				Windows/Sliding Glass Doors				
Ceiling without Attic Space				Skylights/Glazed Roofs				
Exposed Floor				Mechanicals				
Walls Above Grade				Heating Equip.(AFUE)				
Basement Walls				HRV Efficiency (SRE% at 0°C)				
Slab (all >600mm below grade)				DHW Heater (EF)				
Slab (edge only ≤600mm below grade)				DWHR (CSA B55.1 (min. 42% efficiency))			# Showers	
Slab (all ≤600mm below grade,	or heated)			Combir	ed Heating System			
(1) U value to be provided in eith		or Btu/(h•ft²•F	but not both.				L	
E. Designer(s) [name(s)				riding infor	mation herein to sub	stantiate that desi	gn meets the	building code]
Qualified Designer Declarati			<u> </u>					
Name	<b>U</b>			BCIN		Signature		
						-		

# Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the SB-12 Prescriptive design tables (this form is for this option (Option 1)),
- 2. Use the SB-12 Performance compliance method, and model the design against the prescriptive standards,
- 3. Design to Energy Star, or
- 4. Design to R2000 standards.

#### COMPLETING THE FORM

# **B.** Compliance Options

Indicate the compliance option being used.

• <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option. Certain substitutions are permitted. In which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

# C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the SB-12 Prescriptive option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which SB-12 Prescriptive compliance package table applies. Other Building Conditions: These construction conditions affect SB-12 Prescriptive compliance requirements.

## D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

## BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A provides airtightness targets in three different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

Building Type	Airtightness Targets							
	ACH @ 50 Pa	NLA @	2 10 Pa	NLR @ 50 Pa				
Detached dwelling	2.5	1.26 cm <sup>2</sup> /m <sup>2</sup>	1.81 in <sup>2</sup> /100ft <sup>2</sup>	0.93 L/s/m <sup>2</sup>	0.18 cfm50/ft <sup>2</sup>			
Attached dwelling	3.0	2.12 cm <sup>2</sup> /m <sup>2</sup>	3.06 in <sup>2</sup> /100ft <sup>2</sup>	1.32 L/s/m <sup>2</sup>	0.26 cfm50/ft <sup>2</sup>			

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

### E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.